



Technical Product Specification

RePro™ | HDBK01– High Density Polyethylene PCR Resin

Product Description:

HDBK01 is a High Molecular Weight High Density Polyethylene grade. It is available in Black Colour made out of 100% Post-Consumer HDPE Waste. It is blended with required additives during manufacture to exhibit good stiffness and melt.

Suitable Uses: For use in all Non-food contact Extrusion applications including pipe grade.

Typical Properties:

Property	Reference Standard	Typical value	Unit
Melt Flow Index	ASTM D1238 (190° C/5 kg)	0.3-0.4	g/10 min
Density (23°C)	ASTM D792	0.960 – 0.975	g/ cm ³
Ash content	ASTM D5630 (800°C)	<2	%
Flexural Strength	ASTM D790	>10	MPa
Flexural Modulus	ASTM D790	>900	MPa
Izod Impact Strength – Notched	ASTM D256	6.5	kJ/m ²
Hardness	ASTM D2240	60	Shore D
Filter mesh	-	120	Mesh/Sq In
Colour & Appearance	Visual	Black	-

Storage: Material should be stored in dry/room temperature (below 50°C) and protected from direct sun light.

Product Photo:



Version: 1.0	Specification Date: 16/03/2025
Document No: LUC-2345	Signed: